

SM302



SPECIFICATIONS:

Housing:

Die-cast aluminum door has two captive stainless steel fasteners and can be removed from the die-cast aluminum housing.

Lens:

Clear glass Lens, 1/8" tempered, gasket and silicone sealed

Reflector:

Segmented anodized specular aluminum reflector.

Ballast Assembly:

HID ballast is mounted to the frame of the housing, ballast is removable for easy maintenance.

Lamp Socket:

Porcelain socket pulse rated for HPS & MH lamps. lamp included.


Finish:

Attractive dark bronze, white, black polyester powder coated finish for excellent impact, corrosion and UV resistance

Job Information


Project:	Date:
Location:	
Fixture Type:	Cat. #
Lamp:	Volts:
Options & Accessories:	

DIMENSIONAL DRAWINGS



Height	Width	Depth	MH	HPS	EPA	Weight
7.14"	17.88"	8.93"	175	150		22 lbs.

Isolux Curves



175 Watt
Metal halide
@ 15 Ft.
mounting
height

ORDERING INFORMATION:

Model	Optics	Wattage	Source	Voltage	Wiring	Finish	Options
<ul style="list-style-type: none"> SM302 	<p>Forward Throw Wide</p> <ul style="list-style-type: none"> (FTW) 	<ul style="list-style-type: none"> 35w (35) 50w (50) 70w (70) 100w (100) 150w (150) 175w (175) 	<p>HPS</p> <ul style="list-style-type: none"> (HPS) <p>Metal Halide</p> <ul style="list-style-type: none"> (MH) 	<p>120 Volts</p> <ul style="list-style-type: none"> (120) <p>208 Volts</p> <ul style="list-style-type: none"> (208) <p>240 Volts</p> <ul style="list-style-type: none"> (240) <p>277 Volts</p> <ul style="list-style-type: none"> (277) <p>480 Volts</p> <ul style="list-style-type: none"> (480) <p>Multi-Tap Ballast Factory wired at 277 v unless otherwise speci- fied.</p>	<p>Wall Mount</p> <ul style="list-style-type: none"> (WM) 	<p>Bronze</p> <ul style="list-style-type: none"> (BZ) <p>White</p> <ul style="list-style-type: none"> (WT) <p>Black</p> <ul style="list-style-type: none"> (BK) 	<p>No lamp</p> <ul style="list-style-type: none"> (NL) <p>Photocell</p> <ul style="list-style-type: none"> (PC)

Direct Lighting Sales reserves the right to make modifications or changes to any of its products without prior written notification and without incurring obligation. Actual performance can vary depending on surrounding conditions